



Features

- No glass
- Large 42" x 28-1/2" viewing area
- 65,000 BTUs
- Mild heat output allows placement of a TV 12" above the fireplace opening and year round enjoyment
- Large premium cast logs
- Enhanced safety with the IntelliFire[™] Touch ignition system
- Standard RC400 touchscreen remote control
- Top down accent lighting



Options

Interior Panels







Herringbone Interior Panels

Doors



Black Grand Vista Screen Doors

Controls

IntelliFire Touch Touchscreen Remote Control (standard)

Features: on/off, lights adjustment, room temperature readout, child lock, timer mode, WhisperTone technology, wall docking station.



IntelliFire Touch Wireless
Wall Switch Features: on/off,
battery strength indicator.



Technology

IntelliFire Touch Ignition System

The IntelliFire™ Ignition System (IPI) is the most advanced and intuitive IntelliFire system, making operation of your fireplace simple, smart and safe. Select the wireless wall switch or touchscreen remote control for the solution that fits your life.

WhisperTone Technology

Patent-pending system allows airflow with minimal sound, the ability to terminate horizontally for fireplace location flexibility, and an automatic damper which stops air movement when the fireplace is off, preventing cold air infiltration into the home.


Cover: Legacy shown with standard mesh screen and traditional brick interior **Left:** Legacy shown with optional black Grand Vista screen doors and herringbone brick interior


Above: Legacy shown with standard mesh screen and traditional brick interior




Specifications

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		BACK WIDTH (D)		VIEWING AREA	BTU/HR INPUT	
WODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E X F)	BTO/TIN INFO	
Legacy42	50-3/8" (1280)	51-3/8" (1305)	74-1/8" (1883)	74-5/8" (1895)	28-1/2" (724)	28" (711)	34-5/8" (879)	51-3/8" (1305)	42" x 28-1/2" (1067 x 724)	65,000	










Right View

Top View

Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth & Home Technologies® reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

Framing

Α	В	С	D	Е	F	G	Н	- 1
74-5/8"	28"	51-3/8"	29-3/4"	51-1/4"	0"	O"	30"	36"
(1895)	(713)	(1305)	(737)	(1302)	(0)	(O)	(762)	(914)









Legacy shown with standard mesh screen and herringbone brick interior

Exceptional Value + Dependability

Why do contractors, architects and homebuyers trust Heatilator? Because we mix value with dependability. Established in 1927, Heatilator has built a longstanding reputation for providing quality, dependable hearth products at unbeatable values. Today, Heatilator remains the most preferred, recommended and installed fireplace brand among building professionals.

Available from



800-927-6841 | heatilator.com

facebook.com/Heatilator

twitter.com/Heatilator

youtube.com/HeatilatorFireplaces

Limited Lifetime Warranty¹ The strongest in the industry, Heatilator provides a limited lifetime

warranty on gas-burning products of the most important aspects: firebox and heat exchanger.

The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manua for actual installation. Actual product appearance may differ from product images.

¹ For full warranty details go to heatilator.com.

HTL-1107U-0318



